

U.S. Department of

Patent and Trademark Office

Attorney Docket No.: FORS-04766

Applicant: Fang Dong et al.

Serial No.: 09/676,768

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)

(37 CFR § 1.	(37 CFR § 1.98(b))				Filing Date: 10/02/00		Group Art Unit:			
	т			U.S. PATENT DOC	UMENTS					
Examiner Initials	Cite No.	Serial / Patent Number	Issue Date	Applica	ant / Patentee	Class	Subclass	Filing	Date	
	1 5,202,231 04/13/93 Drmanac et al.		anac et al.	435/6	436/501	06/18/91				
	2	5,492,806	02/20/86	Drm	anac et al.	435/5	435/6	04/1	2/93	
	3	5,510,270	04/23/96	Foo	dor et al.	436/518	435/4	09/3	09/30/92	
	4	5,429,807	07/04/95	Mat	son et al.	422/131	422/101	10/2	8/93	
	5	5,599,695	02/04/97	Pea	ase et al.	435/91.1	536/25.3	02/27/95 09/21/89		
	6	5,436,327	07/25/95	Sout	hern et al.	536/25.34	53625.3			
		FC	REIGN PATENTS O	R PUBLISHED FOR	REIGN PATENT APPLICA	ATIONS				
		Document Number	Publication Date	Country	Country / Patent Office		Subclass	Translation Yes No		
	7	WO 95/15267	06/08/95		PCT	B44C 1/175	1/17	1 65	No	
<u>-</u>	8	WO 96/04374	02/15/96		РСТ	C12N 15/11	C12Q 1/68			
		OTHER I	OCUMENTS (Include	ding Author, Title, D	ate, Relevant Pages, Place	of Publication)			<u> </u>	
	Abrams et al., "Comprehensive Detection of Single Base Changes in Human Genomic DNA Using Denaturing Gradient Gel Electrophoresis and a GC Clamp," Genomics 7:463-475 [1990];									
	10	Altamirano et al., "Identification of Hepatitis C Virus Genotypes among Hospitalized Patients in British Columbia, Canada," J. Infect. Dis. 171:1034-1038 [1995];					. Dis.			
	11	Bains and Smith, "A Novel Method for Nucleic Acid Sequence Determination," J. Theor. Biol. 135:303-307 [1988]; Banerjee et al., "inhA, a Gene Encoding a Target for Isoniazid and Ethionamide in Mycobacterium tuberculosis," Science 263:227-230 [1994];								
	12					0				
	13	Barlow and Lehrach, "Genetics by gel electrophoresis: the impact of pulsed field gel electrophoresis on mammalian genetics," <i>Trends Genet.</i> 3:167-171 [1987]; Borrensen <i>et al.</i> , "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations," <i>Proc. Natl. Acad. Sci. USA</i> 88:8405-8409 [1991]; Brow <i>et al.</i> , "Differentiation of Bacterial 16S rRNA Genes and Intergenic Regions and <i>Mycobacterium tuberculosis katG</i> Genes by Structure-Specific Endonuclease Cleavage," <i>J. Clin. Microbiol.</i> 34:3129-3137 [1996];								
	14									
	15									
	16 Chee et al., "Accessing Genetic Information with High-Density DNA Arrays," Science 274:610-614 [1996];									
	17	Cookerill III et al. "Decid Marife et al. C. D.					-			
	18									
	19	Donnabella et al., "Isolation of the Gene for the β Subunit of RNA Polymerase from Rifampicin-resistant Mycobacterium tuberculosis and Indentification of New Mutations," Am. J. Respir. Dis. 11:639-643 [1994];					and			
	20	Doty et al., "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Physical Chemical Studies," Proc. Natl. Acad. Sci. USA 46:461 [1960];								
_	21	Drmanac et al., "Se	quencing of Megabas	e Plus DNA by Hybr	idization: Theory of the M	Method," Genomics 4:	114-128 [1989];		
•	22				gy, vol. 2, Springer-Verlag					
Examiner:					Data Considered		REC	EIVE	D	
EXAMINER:	Init with	ial citation considered next communication	Draw line through to applicant.	citation if not in conf	ormance and not considere	d. Include copy of th	is form 2	.5 2003		

EXAMINER:

U.S. Department of

Patent and Trademark Office

Attorney Docket No.: FORS-04766

Serial No.: 09/676,768

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)

Filing Date: 10/02/00

Applicant: Fang Dong et al.

(37 CFR § 1.9	98(b))	Filing Date: 10/02/00	Group Art Unit:				
·		OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)					
	23	Fedorova et al., "The Influence of the Target Structure on the Efficiency of Alkylation of Single-Stranded DNA with the Reactive Derivatives of Antisense Oligonucleotides," FEBS Lett. 302:47-50 [1992];					
	24	Fodor et al., "Light-Directed, Spatially Addressable Parallel Chemical Synthesis," Science 251:767-773 [1991];					
	25						
	26	Frieden et al., "The Emergence of Drug-Resistant Tuberculosis in New York City," New Engl. J. Med. 328:521-526 [1993];					
	27	Gamper et al., "Solution Hybridization of Crosslinkable DNA Oligonucleotides to Bacteriophage M13 DNA Oligonucleotides to Bacteriophage M13 DNA: Effect of Secondary Structure on Hybridization Kinetics and Equilibria," J. Mol. Biol. 197:349-362 [1987];					
	28	Godard et al., "Photochemically and Chemically Activatable Antisense Oligonucleotides: Comparison of Their Reactivities Towards DNA and RNA Targets," Nuc. Acids Res. 22:4789-4795 [1994];					
	29	Gogos et al., "Detection of single base mismatches of thymine and cytosine residues by potassium permanganate and hydroxylamine in the presence of tetralkylammonium salts," Nucl. Acids Res. 18:6807-6817 [1990];					
	30	Harrington and Lieber, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," <i>Genes and Develop</i> . 3:1344-1355 [1994];					
	31	Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl. 1:34-38 [1991];					
	32	Heym et al., "Implications of multidrug resistance for the future of short0-course chemotherapy of tuberculosis: a molecular study," Lancet 344:293-298 [1994];					
	33	Hughes, "The Resurgence of Tuberculosis," Scrip Magazine, pp. 46-48 [May 1994];					
	34	Jacobs, Jr. et al., "Rapid Assessment of Drug Susceptibilities of Mycobacterium tuberculosis by Means of Luciferase Reporter Phages," Science 260:819-822 [1993];					
	35	Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Clin. Infect. Dis. 19:1-8 [1994];					
	36	Kanai et al., "HCV genotypes in chronic hepatitis C and response to interferon," Lancet 339:1543 [1992];					
	37	Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enzymol. 155:482-501 [1987];					
	38	Lima et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," Biochem. 31:12055-12061 [1992];					
	39	Liu and Sommer, ""Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," PCR Meth. Appli. 4:97-108 [1994];					
	40	Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453-461 [1960];					
	41	Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," <i>Nucl. Acids Res.</i> 20(7):1675-1678 [1992];					
	42	Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. 171:954-960 [1995];					
	43	Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994];					
	44	Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1985];					
	45	Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992];					
	46	Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase (5:874-879 [1989];	Chain Reaction," Genomi				
kaminer:		Date Considered:					

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

U.S. Department of

Patent and Trademark Office

Attorney Docket No.: FORS-04766 Serial No.: 09/676,768

Applicant: Fang Dong et al.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)

with next communication to applicant.

(37 CFR § 1.9	98(b))		Filing Date: 10/02/00	Group Art Unit:		
		OTHER DOCUMENTS (Including Author, Title, D	ate, Relevant Pages, Place of Publication)			
	Parkhurst and Parkhurst, "Kinetic Studies by Fluorescence Resonance Energy Transfer Employing a Double-Labeled Oligonucleotide: Hybridization to the Oligonucleotide Complement and to Single-Stranded DNA," <i>Biochem.</i> 34:285-292 [1995];					
Perlman and Butow, "Mobile Introns and Intron-Encoded Proteins," Science 246:1106-1109 [1989];						
	Sambrook et al, Molecular Cloning: A Laboratory Manual, 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY [1989];					
	Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hum Mol. Genet. 2:2155-2158 [1993];					
	51	Schwille <i>et al.</i> , "Quantitative Hybridization Kinetics of DNA Probes to RNA in Solution Followed by Diffusional Fluorescence Correlation Analysis," <i>Biochem.</i> 35:10182-10193 [1996];				
	Sheffield et al., "Attachment of a 40-base-pair G+C-rich sequence (GC-clamp) to genomic DNA fragments by the polymerase chain reaction results in improved detection of single-base changes," Proc. Natl. Acad. Sci. USA 86:232-236 [1989];					
Shibata in PCR: The Polymerase Chain Reaction, "Preparation of Nucleic Acids for Archival Material," (eds., Mullis et a 47-54 [1994];						
	Shinnick and Jones in <u>Tuberculosis: Pathogenesis</u> , <u>Protection and Control</u> , "Molecular Approaches to the Diagnosis of Tubercu Bloom), American Society of Microbiology, Washington, D.C. [1994], pp. 517-530; Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Sol Genomics 3:217-223 [1988];					
	56	Southern et al., "Analyzing and Comparing Nucleic Acid Seq Experimental Models," Genomics 13:1008-1017 [1992];	uences by Hybridization to Arrays of Oligonucle	otides: Evaluation Using		
57		Studencki et al., "Discrimination among the Human β^A , β^S , and β^C -Globin Genes Using Allele-Specific Oligonucleotide Hybridization Probes," Human Genetics 37:42-51 [1985];				
Studencki and Wallace, "Allele-Specific Hybridization Using Oligonucleotide Probes of Very High Specific Activity: Human β ^Δ - and β ^S -Globin Genes," <i>DNA</i> 3:1-15 [1984];			ctivity: Discrimination of the			
	59	Wallace et al., "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," Biochimie 67:755-762 [1985]				
	Wallace et al., "Hybridization of Synthetic Oligodeoxyribonucleotides to Φχ174 DNA: The Effect of Single Base Pair Mismatch, Acids Res. 6:3543-3557 [1979];			ase Pair Mismatch," Nucl.		
61		Wartell et al., "Detecting base pair substitutions in DNA fragments by temperature-gradient gel electrophoresis," Nucl. Acids Res. 18:2699-2701 [1990];				
	62	Winter et al., "A method to detect and characterize point mutations in transcribed genes: Amplification and overexpression of the mutant c-Ki-ras allele in human tumor cells," Proc. Natl. Acad. Sci. USA 82:7575-7579 [1985];				
	63	Woese, "Bacterial Evolution," Microbiological Reviews 51(2):	221-271 [1987];			
	Yoshioka et al., "Detection of Hepatitis C Virus by Polymerase Chain Reaction and Response to Interferon-α Therapy: Relationship to Genotypes of Hepatitis C Virus," Hepatology 16:293-299 [1992];					
	Yule, "Amplification-Based Diagnostics Target TB," Bio/Technology 12:1335-1337 [1994];					
	66	Zarrinkar and Williamson, "Kinetic Intermediates in RNA Fold	ding," Science 265:918-924 [1994];			
	67	Zarrinkar and Williamson, "The kinetic folding pathway of the <i>Tetrahymena</i> ribozyme reveals possible similarities between RNA and protein folding," <i>Nat. Struct. Biol.</i> 3:432-438 [1996];				
	68	Azhayeva et al., "Looped Oligonucleotides Form Stable Hybri 1176 [1995];	id Complexes with a Single-Stranded DNA," Nu	cl. Acids Res. 23(7):1170-		
	69	Blume et al., "Divalent Transition Metal Cations Counteract P Acids Res. 25(3):617-625 [1997];	otassium-Induced Quadruplex Assembly of Oligo	o(dG) Sequences," Nucl.		
Examiner:			Date Considered:			

HELEWED

U.S. Department of

Patent and Trademark Office

Attorney Docket No.: FORS-04766 S

Serial No.: 09/676,768

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Applicant: Fang Dong et al.

(Use Several Sheets If Necessary) Filing Date: 10/02/00 Group Art Unit: (37 CFR § 1.98(b)) OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) 70 Brossalina and Toulme, "A DNA Hairpin as a Target for Antisense Oligonucleotides," J. Am. Chem. Soc. 115:796-797 [1993]; Butorin et al., "Comparison of the Hydrolysis Patterns of Several tRNAs by Cobra Venom Ribonuclease in Different Steps of the 71 Aminoacylation Reaction," Eur. J. Biochem. 121:587-595 [1982]; Cech, "Structure and Mechanism of the Large Catalytic RNAs: Group I and Group II Introns and Ribonuclease P," Chapter 11 in The 72 RNA World, Cold Spring Harbor Laboratory Press, New York, pp. 239-269 [1993]; 73 Clark, "DNA Synthesis on Discontinuous Templates by DNA Polymerase I of Escherichia coli," Gene 104:75-80 [1991]; 74 Cload and Schepartz, "Polyether Tethered Oligonucleotide Probes," J. Am. Chem. Soc. 113:6324-6326 [1991]; Cload et al., "Kinetic and Thermodynamic Analysis of RNA Binding by Tethered Oligonucleotide Probes: Alternative Structures and 75 Conformational Changes, J. Am. Chem. Soc. 115(12):5005-5014 [1993]; Delihas et al., "Natural Antisense RNA/Target RNA Interactions: Possible Models for Antisense Oligonucleotide Drug Design," Nature 76 Biotech. 15:751-753 [1997]; 77 DeRisi et al., "Use of a cDNA Microarray to Analyse Gene Expression Patterns in Human Cancer," Nature Genetics 14:457-460 [1996]; Derrick and Horowitz, "Probing Structural Differences Between Native and In Vitro Transcribed Escherichia coli Valine Transfer RNA: 78 Evidence For Stable Base Modification-Dependent Conformers, " Nucl. Acids Res. 21(21):4948-4953 [1993]; Francois et al., "Recognition and Cleavage of Hairpin Structures in Nucleic Acids by Oligodeoxynucleotides," Nucl. Acids Res. 79 22(19):3943-3950 [1994]; Frischer et al., "Differential sensitivity of 16S rRNA targeted oligonucleotide probes used for fluorescence in situ hybridization is a result 80 of ribosomal higher order structure," Can. J. Microbiol 42:1061-1071 [1996]; 81 Guo et al., "Asymmetric Structure of a Three-Arm DNA Junction," Biochemistry 29:10927-10934 [1990]; Hoheisel, "Sequence-independent and linear variation of oligonucleotide DNA binding stabilities," Nucl. Acids Res. 24(3):430-432 [1996]; 82 Lane et al., "The Thermodynamic Advantage of DNA Oligonucleotide 'Stacking Hybridization' Reactions: Energetics of a DNA Nick," 83 Nucl. Acids Res. 25(3):611-616 [1997]; 84 Lilley and Kemper, "Cruciform-Resolvase Interactions in Supercoiled DNA," Cell 36:413-422 [1984]; Lima et al., "Combinatorial Screening and Rational Optimization for Hybridization to Folded Hepatitis C Virus RNA of Oligonucleotides 85 with Biological Antisense Activity," J. Biol. Chem. 272(1):626-638 [1997]; 86 Lu et al., "Effect of Sequence on the Structure of Three-Arm DNA Junctions," Biochemistry 30(24):5815-5820 [1991]; 87 Ma et al., "Three-Arm Nucleic Acid Junctions are Flexible," Nucl. Acid Res. 14:9745-9753 [1986]; Malygin et al., "Hybridization of Two Oligodeoxynucleotides to Both Strands of an RNA Hairpin Structure Increases the Efficiency of 88 RNA-DNA Duplex Formation," FEBS Letters 392:114-116 [1996]; Matveeva et al., "A Rapid In Vitro Method for Obtaining RNA Accessibility Patterns for Complementary DNA Probes: Correlation with an 89 Intracellular Pattern and Known RNA Structures," Nucl. Acids Res. 25(24):5010-5016 [1991]; Milner et al., "Selecting Effective Antisense Reagents On Combinatorial Oligonucleotide Arrays," Nature Biotech. 15:537-541 [1997]; 90 Milosavljevic et al., "DNA Sequence Recognition by Hybridization to Short Oligomers: Experimental Verification of the Method on the E. 91 coli Genome," Genomics 37:77-86 [1996]; Mishra et al., "Targeting nucleic acid secondary structures by antisense oligonucleotides designed through in vitro selection," Proc. Natl. 92 Acad. Sci. USA 93:10679-10684 [1996]; Examiner: Date Considered: EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

/ED

(37 CFR § 1.98(b))

U.S. Department of

Patent and Trademark Office

Attorney Docket No.: FORS-04766

Serial No.: 09/676,768

STATEMENT BY APPLICANT INFORMATION DISCLO (Use Several Sheets If Necessary)

Applicant: Fang Dong et al.

Filing Date: 10/02/00 Group Art Unit:

	OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)
93	Pan et al., "Divalent Metal Ions in RNA Folding and Catalysis," Chapter 12 in The RNA World, Cold Spring Harbor Laboratory Press, New York, pp. 271-302 [1993];
94	Parinov et al., "DNA Sequencing by Hybridization to Microchip Octa- and Decanucleotides Extended by Stacked Pentanucleotides," Nucl. Acids Res. 24(15):2998-3004 [1996];
95	Parsch et al., "Site-Directed Mutations Reveal Long-Range Compensatory Interactions in the Adh gene of Drosophila melanogaster," Proceedings of Natl. Acad. Sci. USA 94:928-933 [1997];
96	Richardson and Schepartz, "Tethered Oligonucleotide Probes. A Strategy for the Recognition of Structured RNA," J. Am. Chem. Soc. 113:5109-5111 [1991];
97	Rosen and Patel, "Structural Features of a Three-Stranded DNA Junction Containing a C-C Junctional Bulge," <i>Biochemistry</i> 32:6576-6587 [1993];
98	Schuster et al., "RNA Structures and Folding: From Conventional to New Issues in Structure Predictions," Cur. Opin. in Struct. Biol. 7:229-235 [1997];
99	Serano and Cohen, "A Small Predicted Stem-Loop Structure Mediates Oocyte Localization of <i>Drosophila K10</i> mRNA," <i>Development</i> 121:3809-3818 [1995];
100	Southern, "DNA fingerprinting by hybridization to oligonucleotide arrays," Electrophoresis 16(9):1539-1542 [1995];
101	Southern, "DNA chips: analyzing sequence by hybridization to oligonucleotides on a large scale," TIG 12(3):1-6 [1996];
102	Strobel and Doudna, "RNA Seeing Double: Close-Packing of Helices in RNA Tertiary Structure," TIBS Reviews 22:262-266 [1997];
103	Suo and Johnson, "RNA Secondary Structure Switching During DNA Synthesis Catalyzed by HIV-1 Reverse Transcriptase," Biochemistry 36:14778-14785 [1997];
104	Walter et al., "Coaxial Stacking of Helixes Enhances Binding of Oligoribonucleotides and Improves Predictions of RNA Folding," Proc. Natl. Acad. Sci USA 91:9218-9222 [1994];
105	Weiler et al., "Hybridization Based DNA Screening on Peptide Nucleic Acid (PNA) Oligomer Arrays," Nucl. Acids Res. 25(14):2792-279 [1997];
106	Welch et al., "Structures of Bulged Three-Way DNA Junctions," Nucl. Acids Res. 21(19):4548-4555 [1993];
107	Woese and Pace, "Probing RNA Structure, Function, and History by Comparative Analysis," Chapter 4 in The RNA World, Cold Spring Harbor Laboratory Press, New York, pp. 91-117 [1993];
108	Wyatt and Tinoco, "RNA Structural Elements and RNA Function," Chapter 18 in The RNA World, Cold Spring Harbor Laboratory Press, New York, pp. 465-496 [1993];
109	Yang and Millar, "Conformational Flexibility of Three-Way DNA Junctions Containing Unpaired Nucleotides," <i>Biochemistry</i> 35:7959-796 [1996];
110	Zhong et al., "Effects of Unpaired Bases on the Conformation and Stability of Three-Arm DNA Junctions," Biochemistry 33:3660-3667 [1994];
111	Zhong et al., "Effect of T-T Base Mismatches on Three-Arm DNA Junctions," Biochemistry 32:6898-6907 [1993];
112	Zuker and Jacobson, "'Well-Determined' Regions in RNA Secondary Structure Prediction: Analysis of Small Subunit Ribosomal RNA," Nucl. Acids Res. 23(14):2791-2798 [1995].
113	Uhlen, "Magnetic Separation of DNA," Nature 340:733 (1989)
114	Southern "Detection of Specific Sequences Among DNA Fragments Separated by Gel Electrophoresis," J. Mol. Biol. 98:503-517 (1975)
	Date Considered:
Init	ial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form
	94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114

RECEIVED